

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S349	72	(search with range) and (index with digital)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 16:36
S350	0	(search with range) and ((index with digital) same tree)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 16:36
S351	0	(search with range) and (numrange near2 digit)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 16:36
S352	0	(numrange near2 digit)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 16:36
S353	0	(search with range) and numrange	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 16:37
S354	1079	(numerical near2 index)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 16:38
S355	6	(numerical near2 index) with document	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 16:38
S356	9	(numerical near2 index) same documents	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 16:39
S358	1123	(indexing with documents)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 19:00
S359	15	S358 and (base near2 "10")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 19:02

EAST Search History

S36 0	0	(numerical with index with term\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 19:02
S36 1	121	(numerical with index with term\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 19:02
S36 2	0	(numerical with index with term\$1) and (search\$3 with range)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 19:03
S36 3	43	(numerical with index with term\$1) and (search\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 19:03
S36 4	0	(numerical with index with term\$1) and (search\$3) and (base near2 "10")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 19:03
S36 5	43	(numerical with index with term\$1) and (search\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 19:04
S36 6	49	(numerical with index with term\$1) and (search\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 19:04
S36 7	12	(numerical with index with term\$1) and (search\$3) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 19:07
S36 8	13	(numerical with index with term\$1) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 19:16
S36 9	2	"5915251".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 22:43
S37 0	0	10/160763 and (index with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 22:43

EAST Search History

S37 1	2	10/160763 and (server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 22:45
S37 2	0	"5915251".pn. and (index with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 22:45
S37 3	0	"5915251".pn. and (index same server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/13 22:46
S37 4	1	"5915251".pn. and server and index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/14 07:48

[Sign in](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

numerical index terms based on boundary num

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web** Results 11 - 20 of about 617,000 for **numerical index terms based on boundary number and query range****Method and apparatus for generating and searching range-based ...**The **index** can be used to locate records including **numeric** values within a ... **Query**expressions can also include **range-based terms**, such as dates or sizes. ...www.patentstorm.us/patents/5915251-description.html - 123k - [Cached](#) - [Similar pages](#)**[PDF] Real-Time Processing of Range-Monitoring Queries in Heterogeneous ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)consists of a large **number** of mobile devices. **KEYWORDS**: wireless communications,mobile database systems, **range query**, continuous **query**, location-based ...www.cs.iastate.edu/~yingcai/tmc05.pdf - [Similar pages](#)**[PDF] Image indexing and retrieval based on color histograms**

File Format: PDF/Adobe Acrobat

cases if the **query** can be formed in **terms** of visual properties or pictorial items, such ... (b)**numerical index** key creation **based** on the histogram; ...www.springerlink.com/index/Q2PH3150H6730X18.pdf - [Similar pages](#)**[PDF] Chapter 4 AUTOMATIC INDEXING: THE SELECTION OF NATURAL LANGUAGE ...**

File Format: PDF/Adobe Acrobat

evaluation judges the quality of the **index terms based** on how the **index ... frequency****range**. These findings are the basis of a **number** of classical ...www.springerlink.com/index/g48j872765625m64.pdf - [Similar pages](#)**[PDF] Effective Information Retrieval Using Genetic Algorithms Based ...**

File Format: PDF/Adobe Acrobat

select proper **index terms**. Typically representation. proceeds by extracting keywords thatare ... vector with the **query** vector. Although a large **number** of ...csdl.computer.org/comp/proceedings/hicss/2000/0493/02/04932011.pdf - [Similar pages](#)**Help**The beginning TO end part defines the **boundaries** of the field. ... A **numeric range** searchis a search for any **numbers** that fall within a **range**. ...

wyom.state.wy.us/applications/oscn/simplehelp.asp?helpcontextid=80 - 24k -

[Cached](#) - [Similar pages](#)**[PDF] Optimizing Query Injection from Mobile Objects to Sensor Networks**File Format: PDF/Adobe Acrobat - [View as HTML](#)**Index Terms**: mobile object, **query** injection, sensor. networks. 1. Introduction. 1.1Background ... be within its transmission **range, based** on the object's ...www.cs.uic.edu/~shatz/papers/isads07.pdf - [Similar pages](#)**[DOC] SWEET Final Report**File Format: Microsoft Word - [View as HTML](#)

A few time ontologies exist, but none took advantage of the fact that time is simply a

numerical scale. The **number**, space, time, and event ontologies that ...sweet.jpl.nasa.gov/final_report.doc - [Similar pages](#)**[PDF] Distributed Data Streams Indexing using Content-based Routing Paradigm**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

case, the high **boundary** X. Q. 0. + r with **numerical** value -. $0.08+0.29=0.21$, hashes to key 19, ... even higher **number** of **query** messages because a two times ...
www.cs.ucsb.edu/research/tech_reports/reports/2004-01.pdf - [Similar pages](#)

[RTF] [Your title](#)

File Format: Rich Text Format - [View as HTML](#)

For instance, the **query** "rabbit" can be expanded in a **number** of ways. ... For instance, experiments with **terms based** on (nominal) phrases have shown ...
www.dfki.de/~paulb/twlt14.rtf - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google